



# Freshwater Lake Future Options Survey

OSR&P

Your feedback will be a key component that will feed into Council's decision making on which option will be selected for further investigation, feasibility and detailed design for Freshwater Lakes. Consultation for the future options will commence on **Friday 29 July 2022** and closes **5:00pm Monday 22 August 2022**.

## Tell us your thoughts!

To provide your feedback please do only **ONE (1)** of the following:

- Complete this hardcopy survey and return it to Charles Sturt Council staff

OR

- On-line via Council's website <https://www.yoursaycharlessturt.com.au/> or use the QR code on your smart device



## Your Details

Please provide your name or organisation and e-mail address should we need to contact you regarding your feedback. *(By completing this form, you consent to the City of Charles Sturt collecting, retaining and using the personal information provided by you in line with Council's Privacy Policy)*

Name: \_\_\_\_\_  
(Mr/Mrs/Miss/Ms/Dr) (First Name) (Surname)

Address: \_\_\_\_\_

Suburb: \_\_\_\_\_ State: \_\_\_\_\_ P/Code: \_\_\_\_\_

Email: \_\_\_\_\_

Phone Home: \_\_\_\_\_ Mobile: \_\_\_\_\_

## Your Feedback

1. When thinking about Freshwater Lake in the future, how important to you are the following considerations? *Please tick your level of importance for each consideration*

For consideration	Very Important	Important	Neutral	Not Important	Not at all Important
Improved water quality					
Improved water circulation					
Water conservation (reduced loss of water)					
Less frequent need for sludge removal					
Enhanced biodiversity (aquatic habitat and more birds)					
Open water views					
A mix of wetland and open water views					
Improved energy efficiency					
Cost					

**2. What is your level of support for each option? Please tick your level of support for each option**

Options	Strongly Support	Support	Neutral	Do Not Support	Strongly Do Not Support
<b>Option 1 – Existing system</b> (continue with existing management)					
<b>Option 2A – Off-line treatment</b> (water treated out of the lake and then recirculated back into the lake)					
<b>Option 2B – In-line treatment</b> (water treated in the lake in a wetland/ reedbed system)					

**3. In order of support, which option would you most like Council to pursue?**

*Rank from 1 to 3 in order of preference.*

Future Options	Rank from 1 to 3 in order of preference <i>1 = high preference 2 = medium preference 3 = low preference</i>
<b>Option 1 – Existing system</b> (continue with existing management)	
<b>Option 2A - Off-line treatment</b> (water treated out of the lake and then recirculated back into the lake)	
<b>Option 2B - In-line treatment</b> (water treated in the lake in a wetland/reedbed system)	

**4. If you have comments about the options being considered, please provide your feedback below.**

---



---



---



---



---



---



---

**Thank you for taking the time to complete this survey, please return by Monday 22 August 2022.**

**City of Charles Sturt  
72 Woodville Road, Woodville SA 5011  
PO Box 1, Woodville SA 5011**